Author Index

ABDELMAGEED, A. *see* ALLA, T.F. DAFA

ABDULHADI, N.A. *see* ABU-ZEID, Y.A.

ABRAHAM, E. *see* ROBINSON, A.

ABU-ZEID, Y.A., THEANDER, T.G., ABDULHADI, N.A., HVIID, L., SAEDD, B.O., JEPSEN, S., JENSEN, J.B. & BAYOUMI, R.A. Modulation of the cellular immune response during *Plasmodium falciparum* infections in sickle cell trait individuals, 112

ACQUATELLA, G. *see* CALDERA, L.H.

ALLEN, A.C. *see* LAYWARD, L.

ALWAN, W.H., RECORD, F.M. & OPENSHAW, P.J.M. CD4+ T cells clear virus but augment disease in mice infected with respiratory syncytial virus. Comparison with the effects of CD8+ T cells, 527

ANANDAN, D. *see* DHANDAYUTHAPANI, S.

ANDERSEN, C.B. *see* LILLEVANG, S.T.

ANDERSSON, M. *see* HOLMDAHL, R.

ANDERT, S.E., GRIESMACHER, A., ZUCKERMANN, A. & MÜLLER, M.M. Neopterin release from human endothelial cells is triggered by interferon-gamma, 555

AOYAGI, T. *see* EGUCHI, K.

ASHANY, D., HINES, J., GHARAVI, A., MOURADIAN, J. & ELKON, K.B. Analysis of autoantibody production in SCID-systemic lupus erythematosus (SLE) chimeras, 84

ASTALDI RICOTTI, G.C.B. *see* MARIANI, E.

ATAGI, S. *see* YANAGAWA, H.

ATTIYAH, R. AL, ROSEN, H. & ROOK, G.A.W. A model for the investigation of factors influencing haemorrhagic necrosis mediated by tumour necrosis factor in tissue sites primed with mycobacterial antigen preparations, 537

AUNG, H. *see* TAKEUCHI, M.

AUTRAN, B. *see* DAVID, F.J.E.

BAAN, C.C. *see* VAESSEN, L.M.B.

BACON, P.A. *see* HASSELL, A.B.

BAGASRA, O., HOWEEDY, A. & POMERANTZ, R.J. Adenosine-deaminase-associated immunodeficiency.I. Differential sensitivities of lymphocyte subpopulations exposed to 2-deoxycoformycin *in vivo*, 383

BALK, A.H.M.M. *see* VAESSEN, L.M.B.

BARRENA, M.J., ECHANIZ, P., GARCIA-SERRANO, C., ZUBILLAGA, P. & CUADRADO, E. Differential expression of lymphocyte function-associated antigen (LFA-1) on peripheral blood leucocytes from individuals with Down's syndrome, 41

BARRE-SINOUSSI, F. *see* DAVID, F.J.E.

BASHIR, M.S., JONES, D.B. & WRIGHT, D.H. Alpha-1 anti-trypsin and CD30 expression occur in parallel in activated T cells, 543

BASS, H. *see* HOFMANN, B.

BASSENDINE, N.F. *see* ZHANG, L.

BAUTSCH, W. *see* KOLA, A.

BAYOUMI, R.A. *see* ABU-ZEID, Y.A.

BECKER, H., LANGROCK, A. & FEDERLIN, K. Imbalance of CD4+ lymphocyte subsets in patients with mixed connective tissue disease, 91

BENBERNOU, N., MATSIOTA-BERNARD, P., JOLIVET, C., OUGEN, P. & GUENOUNOU, M. Tumour necrosis factor, IL-1 and IL-6 in bronchoalveolar washings and their *in vitro* production during *Nippostrongylus brasiliensis* infection, 264

BENDTZEN, K. *see* HANSEN, M.B.

BERARDESCA, E. *see* MARIANI, E.

BHATIA, V.N. *see* DHANDAYUTHAPANI, S.

BIANCO, N.E. *see* CALDERA, L.H.

BLANCA, I. *see* CALDERA, L.H.

BODMAN, K.B., SUMAR, N., MACKENZIE, L.E., ISENBERG, D.A., HAY, F.C., ROITT, I.M. & LYDYARD, P.M. Lymphocytes from patients with rheumatoid arthritis produce agalactosylated IgG *in vitro*, 420

BOFILL, M., JANOSSY, G., LEE, C.A., MACDONALD-BURNS, D., PHILLIPS, A.N., SABIN, C., TIMMS, A., JOHNSON, M.A. & KERNOFF, P.B.A. Laboratory control values for CD4 and CD8 T lymphocytes. Implications for HIV-1 diagnosis, 243

BOLAND, G.J., VLIEGER, A.M., VERVERS, C. & DE GAST, G.C. Evidence for transfer of cellular and humoral immunity to cytomegalovirus from donor to recipient in allogeneic bone marrow transplantation, 506

BOSBOOM-KALSBEEK, K. *see* HU, H.Z.

BOYD, J.E. & JAMES, K. B cell responses to HIV and the development of human monoclonal antibodies, 189

BOYD, N.A.M. *see* CROCKARD, A.D.

BREEBAART, A.C. *see* VERHAGEN, C.

BROWN, E. *see* KASP, E.

BROWN-GALATOLA, C.H. *see* SMITH, S.

BURGER, E. *see* VAZ, C.A.C.

BÜSCHENFELDE, K.H. MEYER ZUM *see* LÖHR, H.

CALDERA, L.H., LEON-PONTE, M., ACQUATELLA, G., BIANCO, N.E. & BLANCA, I. Bone marrow and peripheral blood natural killer cell activity in lymphomas. Its response to IL-2, 143

CALICH, V.L.G. *see* VAZ, C.A.C.

CAMARGO, Z.P. *see* VAZ, C.A.C.

CAMERON, J.S. *see* CHAN, T.M.

CAMERON, P.U., FORSUM, U., TEPPLER, H., GRANELLI-PIPERNO, A. & STEINMAN, R.M. During HIV-1 infection most blood dendritic cells are not productively infected and can induce allogeneic CD4+ T cells clonal expansion, 226

CARTER, R. *see* KARUNAWEERA, N.D.

CAYOTA, A., VUILLIER, F., SCOTT-ALGARA, D., FEUILLIE, V. & DIGHIERO, G. Impaired proliferative capacity and abnormal cytokine profile of naive and memory CD4 T cells from HIV-seropositive patients, 478

CELADA, F. *see* MANCA, F.

CHAMBERS, C.A., ZIMMERMAN, B. & HOZUMI, N. Functional heterogeneity of human T cell clones from atopic and non-atopic donors, 149

CHAN, T.M., FRAMPTON, G., STAINES, N.A., HOBBY, P., PERRY, G.J. & CAMERON, J.S. Different mechanisms by which anti-DNA MoAbs bind to human endothelial cells and glomerular mesangial cells, 68

CHOUAT, G. *see* DAVID, F.J.E.

CLAAS, F.H.J. *see* VAESSEN, L.M.B.

CLARKE, C.L. INGHAM, SMITH, G.J., CRANE, P.W., PRICE, B.A., LEAR, P.A., FABRE, J.W. & WOOD, R.F.M. Reduction of graft-*versus*-host reactivity after small bowel transplantation: *ex vivo* treatment of intestinal allografts with an anti-T cell immunotoxin, 220

CLOVER, L. *see* VINCE, G.

COCITO, C. *see* HUBBARD, R.D.

COLLINS, F.M. *see* HUBBARD, R.D.

COURTEAU, M. *see* FORTUNE, F.

CRANE, P.W. *see* CLARKE, C.L. INGHAM

CRICK, F.D. & GATENBY, P.A. Limiting-dilution analysis of T cell reactivity to mycobacterial antigens in peripheral blood and synovium from rheumatoid arthritis patients, 424

CROCKARD, A.D., BOYD, N.A.M., MCNEILL, T.A. & MCCLUSKEY, D.R. CD4 lymphocyte subset abnormalities associated with impaired delayed cutaneous hypersensitivity reactions in patients with X-linked agammaglobulinaemia, 29

CUADRADO, E. *see* BARRENA, M.J.

DAFA'ALLA, T.F., GHALIB, H.W., ABDELMAGEED, A. & WILLIAMS, J.F. The profile of IgG and IgG subclasses of onchocerciasis patients, 258

DALGLEISH, A.G. *see* MANCA, F.

DAS, K.M., SQUILLANTE, I. & ROBERTSON, F. Expression of the 40 kD protein in DLD-1 colon cancer cells and the effect of cytokines, 138

DAVID, F.J.E., AUTRAN, B., RAPHAEL, M., DEBRE, P., HSI, B.L., WEGMAN, T.G., BARRE-SINOUSSI, F. & CHOUAT, G. Human trophoblast cells express CD4 and are permissive for productive infection with HIV-1, 10

DE ARAUJO, F. *see* HENTGES, F.

DEBRE, P. *see* DAVID, F.J.E.

De Gast, G.C. *see* Boland, G.J.
De Landázuri, M.O. *see* García-Vicuña, R.
Desmet, V.J. *see* Volpes, R.
De Weger, R.A. *see* Hu, H.Z.
Dhandayuthapani, S., Izumi, S., Anandan, D. & Bhatia, V.N. Specificity of IgG subclass antibodies in different clinical manifestations of leprosy, 253
Dighiero, G. *see* Cayota, A.
Doe, W.F. *see* Pullman, W.E.
Dopfer, G. *see* Mühlebach, T.J.
Dumonde, A.G.A. *see* Kasp, E.

Echaniz, P. *see* Barrena, M.J.
Egido, J. *see* Zarco, P.
Eguchi, K., Kawakami, A., Nakashima, M., Ida, H., Sakito, S., Matsuoka, N., Terada, K., Sakai, M., Kawabe, Y., Fukuda, T., Ishimaru, T., Kurouji, K., Fujita, N., Aoyagi, T., Maeda, K. & Nagataki, S. Interferon-alpha and dexamethasone inhibit adhesion of T cells to endothelial cells and synovial cells, 448
Ekre, H.P. *see* Wang, W.Z.
Eldridge, J.H. *see* Miller, C.J.
Elkon, K.B. *see* Ashany, D.
Endoh, M. *see* Yano, N.
Erny, C. *see* Mühlebach, T.J.

Fabre, J.W. *see* Clarke, C.L. Ingham
Facchini, A. *see* Mariani, E.
Fahey, J.L. *see* Hofmann, B.
Fainboim, L. *see* Padros, M.R.
Faisal, M. *see* Hofmann, B.
Federlin, K. *see* Becker, H.
Feehally, J. *see* Layward, L.
Feuillie, V. *see* Cayota, A.
Figlin, R.A. *see* Hofmann, B.
Finlay-Jones, J.J. *see* Hart, P.H.
Fleischer, B. *see* Löhr, H.
Flory, C.M. *see* Hubbard, R.D.
Forsum, U. *see* Cameron, P.U.
Fortune, F., Courteau, M., Williams, D.G. & Lerner, T. T and B cell responses following immunization with tetanus toxoid in IgA nephropathy, 62
Frampton, G. *see* Chan, T.M.
Freeman, M. & Weetman, A.P. T and B cell reactivity to adrenal antigens in autoimmune Addison's disease, 275
French, L.E., Tschopp, J. & Schifferli, J.A. Clusterin in renal tissue: preferential localization with the terminal component complex and immunoglobulin deposits in glomeruli, 389
Fritz, I.B. What is clusterin? 375
Fujita, N. *see* Eguchi, K.
Fukuda, T. *see* Eguchi, K.

Gabay, J. *see* Mühlebach, T.J.
Gambón, F. *see* Nieto, M.A.
Garcia-Hoyo, R. *see* Zarco, P.
Garcia-Serrano, C. *see* Barrena, M.J.
García-Vicuña, R., Humbría, A., Postigo, A.A., López-Elzaurdia, C., De Landázuri, M.O., Sánchez-Madrid, F. & Laffón, A. VLA family in rheumatoid arthritis: evidence for *in vivo* regulated adhesion of synovial fluid T cells to fibronectin through VLA-5 integrin, 435
Gaston, J.S.H. *see* Hassell, A.B.
Gatenby, P.A. *see* Crick, F.D.
Gause, A., Küppers, R. & Mierau, R. A somatically mutated VκIV gene encoding a human rheumatoid factor light chain, 430
Ghalib, H.W. *see* Dafa'Alla, T.F.
Gharavi, A. *see* Ashany, D.
Ghetti, P. *see* Mariani, E.
Giudice, G. Del *see* Karunaweera, N.D.
González, A. *see* Nieto, M.A.
González, E. *see* Zarco, P.
Gonzalez, M.F., Wichmann, I., Yelamos, J., Melero, J., Magariño, R., Sanchez-Roman, J., Nuñez-Roldan, A. & Sanchez, B. A human monoclonal autoantibody to a nucleolar structure, 324
Granelli-Piperno, A. *see* Cameron, P.U.
Grau, G.E. *see* Karunaweera, N.D.
Greenwood, J. *see* Lightman, S.
Griesmacher, A. *see* Andert, S.E.
Griffiths, P.D. *see* Webster, A.
Guenounou, M. *see* Benbernou, N.

Habeshaw, J.A. *see* Manca, F.
Hall, N.D. *see* Smith, S.
Hammond, A., Ollier, W. & Walport, M.J. Effects of C4 null alleles and homoduplications on quantitative expression of C4A and C4B, 163
Hansen, M.B., Svenson, M. & Bendtzen, K. Serum-induced suppression of interferon (IFN) activity. Lack of evidence for the presence of specific autoantibodies to IFN-α in normal human sera, 559
Hara, M. *see* Kitani, A.
Harigai, M. *see* Kitani, A.
Harper, S.J. *see* Layward, L.
Hart, P.H., Jones, C.A. & Finlay-Jones, J.J. Peritoneal macrophages during peritonitis. Phenotypic studies, 484
Haslam, P.L. *see* Prior, C.
Hassell, A.B., Pilling, D., Reynolds, D., Life, P.F., Bacon, P.A. & Gaston, J.S.H. MHC restriction of synovial fluid lymphocyte responses to the triggering organism in reactive arthritis. Absence of a class I-restricted response
Hattersley, J.M. *see* Layward, L.
Hay, F.C. *see* Bodman, K.B.
Hazenberg, M.P. *see* Van Den Broek, M.F.
Hearn, V.M. *see* Vaz, C.A.C.
Hemmer, R. *see* Hentges, F.
Hentges, F., Hoffmann, A., De Araujo, F. Oliveira & Hemmer, R. Prolonged clinically asymptomatic evolution after HIV-1 infection is marked by the absence of complement C4 null alleles at the MHC, 237
Herrero-Beaumont, G. *see* Zarco, P.
Hidaka, T. *see* Kitani, A.
Higginbotham, J.N., Lin, T.L. & Pruett, S.B. Effect of macrophage activation on killing of *Listeria monocytogenes*. Roles of reactive oxygen or nitrogen intermediates, rate of phagocytosis, and retention of bacteria in endosomes, 492
Hines, J. *see* Ashany, D.
Hirose, T. *see* Kitani, A.
Hobby, P. *see* Chan, T.M.
Hoekzema, R. *see* Verhagen, C.
Hoffmann, A. *see* Hentges, F.
Hofmann, B., Bass, H., Nishanian, P., Faisal, M., Figlin, R.A., Sarna, G.P. & Fahey, J.L. Different lymphoid cell populations produce varied levels of neopterin, β2-microglobulin and soluble IL-2 receptor when stimulated with IL-2, interferon-gamma or tumour necrosis factor-alpha, 548
Höjeberg, B. *see* Wang, W.Z.
Holmdahl, R. & Kvick, C. Vaccination and genetic experiments demonstrate that adjuvant-oil-induced arthritis and homologous type II collagen-induced arthritis in the same rat strain are different diseases, 96
Holmdahl, R., Jansson, L., Andersson, M. & Jonsson, R. Genetic, hormonal and behavioural influence on spontaneously developing arthritis in normal mice, 467
Honorati, M.C. *see* Mariani, E.
Howeedy, A. *see* Bagasra, O.
Hozumi, N. *see* Chambers, C.A.
Hsi, B.L. *see* David, F.J.E.
Hu, H.Z., De Weger, R.A., Bosboom-Kalsbeek, K., Tilanus, M.G.J., Rozing, J. & Schuurman, H.J. T cell receptor Vβ variable gene family expression in human peripheral blood lymphocytes at the mRNA and membrane protein level, 335
Hubbard, R.D., Flory, C.M., Collins, F.M. & Cocito, C. Immunization of mice with the antigen A60 of *Mycobacterium bovis* BCG, 129
Hugh-Jones, K. *see* Lortan, J.E.
Humbría, A. *see* García-Vicuña, R.
Humphries, J. *see* Vince, G.
Hviid, L. *see* Abu-Zeid, Y.A.

Ida, H. *see* Eguchi, K.
Isenberg, D.A. *see* Bodman, K.B.
Ishimaru, T. *see* Eguchi, K.

ITOH, Y., MARUYAMA, N., KITAMURA, M., SHIRASAWA, T., SHIGEMOTO, K. & KOIKE, T. Induction of endogenous retroviral gene product (SU) as an acute-phase protein by IL-6 in murine hepatocytes, 356
IWANAGA, T. *see* KAWACHI, H.
IZUMI, S. *see* DHANDAYUTHAPANI, S.
IZUMI, T. *see* TAKEUCHI, M.

JANOSSY, G. *see* WEBSTER, A.
JAMES, K. *see* BOYD, J.E.
JANOSSY, G. *see* BOFILL, M.
JANOSSY, G. *see* WEBSTER, A.
JANSSON, L. *see* HOLMDAHL, R.
JAYNE, D.R.W. *see* ZHANG, L.
JEFFERIS, R. *see* MACKENZIE, L.E.
JENSEN, J.B. *see* ABU-ZEID, Y.A.
JEPSEN, S. *see* ABU-ZEID, Y.A.
JOHNSON, M.A. *see* BOFILL, M.
JOLIVET, C. *see* BENBERNOU, N.
JONES, C.A. *see* HART, P.H.
JONES, D.B. *see* BASHIR, M.S.
JONSSON, R. *see* HOLMDAHL, R.
JURGES, E.S. *see* LORTAN, J.E.
JUTTE, N.H.P.M. *see* VAESSEN, L.M.B.

KAMEYAMA, T. *see* KONDO, N.
KAMPERDIJK, E.W.A. *see* VAN NIEUWKERK, E.B.J.
KANATANI, M. *see* NORITAKE, M.
KANESHIMA, H. *see* TAKEUCHI, M.
KANG, D.W. *see* MILLER, C.J.
KARPAS, A. *see* NI, J.
KARUNAWEERA, N.D., CARTER, R., GRAU, G.E., KWIATKOWSKI, D., GIUDICE, G. DEL & MENDIS, K.N. Tumour necrosis factor-dependent parasite-killing effects during paroxysms in non-immune *Plasmodium vivax* malaria patients, 499
KASAHARA, K. *see* KONDO, N.
KASP, E., STANFORD, M.R., BROWN, E., COOMBES, A.G.A. & DUMONDE, D.C. Circulating immune complexes may play a regulatory and pathogenic role in experimental autoimmune uveoretinitis, 307
KATO, Y. *see* KONDO, N.
KATSURA, Y. *see* NORITAKE, M.
KAWABE, Y. *see* EGUCHI, K.
KAWACHI, H., ORIKASA, M., MATSUI, K., IWANAGA, T., TOYABE, S., OITE, T. & SHIMIZU, F. Epitope-specific induction of mesangial lesions with proteinuria by a MoAb against mesangial cell surface antigen, 399
KAWAGUCHI, Y. *see* KITANI, A.
KAWAKAMI, A. *see* EGUCHI, K.
KAWAKAMI, M. *see* KITANI, A.
KEMP, E. *see* LILLEVANG, S.T.
KERNOFF, P.B. *see* WEBSTER, A.
KERNOFF, P.B.A. *see* BOFILL, M.
KIJLSTRA, A. *see* VERHAGEN, C.
KITAMURA, M. *see* ITOH, Y.
KITANI, A., HARA, M., HIROSE, T., HARIGAI, M., SUZUKI, K., KAWAKAMI, M., KAWAGUCHI, Y., HIDAKA, T., KAWAGOE, M. & NAKAMURA, H. Autostimulatory effects of IL-6 on excessive B cell differentiation in patients with systemic lupus erythematosus: analysis of IL-6 production and IL-6R expression, 75
KIYONO, H. *see* MILLER, C.J.
KLOS, A. *see* KOLA, A.
KÖHL, J. *see* KOLA, A.
KOIKE, T. *see* ITOH, Y.
KOLA, A., KLOS, A., BAUTSCH, W., KRETZSCHMAR, T. & KÖHL, J. Functional activities of synthetic anaphylatoxic peptides in widely used biological assays, 368
KONDO, N., OZAWA, T., KATO, Y., MOTOYOSHI, F., KASAHARA, K., KAMEYAMA, T. & ORII, T. Reduced secreted μ mRNA synthesis in selective IgM deficiency of Bloom's syndrome, 35
KONTIAINEN, S. *see* WANGEL, A.G.
KOOPMAN, J.P. *see* VAN DEN BROEK, M.F.
KOORNNEEF, L. *see* PRUMMEL, M.F.
KOSTULAS, V. *see* WANG, W.Z.
KOULMANDA, M. *see* MANDEL, T.E.
KRETZSCHMAR, T. *see* KOLA, A.
KRISTENSEN, T. *see* LILLEVANG, S.T.
KROON, F.P. *see* POS, O.
KÜPPERS, R. *see* GAUSE, A.
KUROUJI, K. *see* EGUCHI, K.
KVICK, C. *see* HOLMDAHL, R.
KWIATKOWSKI, D. *see* KARUNAWEERA, N.D.

LAFFÓN, A. *see* GARCÍA-VICUÑA, R.
LALLI, E. *see* MARIANI, E.
LANGROCK, A. *see* BECKER, H.
LARSEN, S. *see* LILLEVANG, S.T.
LAYWARD, L., ALLEN, A.C., HARPER, S.J., HATTERSLEY, J.M. & FEEHALLY, J. Increased and prolonged production of specific polymeric IgA after systemic immunization with tetanus toxoid in IgA nephropathy, 394
LEAR, P.A. *see* CLARKE, C.L. INGHAM
LEE, C.A. *see* BOFILL, M.
LEE, C.A. *see* WEBSTER, A.
LEON-PONTE, M. *see* CALDERA, L.H.
LERNER, T. *see* FORTUNE, F.
LIFE, P.F. *see* HASSELL, A.B.
LIGHTMAN, S. & GREENWOOD, J. Effect of lymphocytic infiltration on the blood-retinal barrier in experimental autoimmune uveoretinitis, 473
LILLEVANG, S.T., ROSENKVIST, J., ANDERSEN, C.B., LARSEN, S., KEMP, E. & KRISTENSEN, T. Single and combined effects of the vitamin D analogue KH1060 and cyclosporin A on mercuric-chloride-induced autoimmune disease in the BN rat, 301
LIN, T.L. *see* HIGGINBOTHAM, J.N.
LINK, H. *see* WANG, W.Z.
LOH, J. *see* RAHMAN, J.
LÖHR, H., TREICHEL, U., PORALLA, T., MANNS, M., BÜSCHENFELDE, K.H. MEYER ZUM & FLEISCHER, B. Liver-infiltrating T helper cells in autoimmune chronic active hepatitis stimulate the production of autoantibodies against the human asialoglycoprotein receptor *in vitro*, 45
LÓPEZ-ELZAURDIA, C. *see* GARCÍA-VICUÑA, R.
LÓPEZ-RIVAS, A. *see* NIETO, M.A.
LORTAN, J.E., VELLODI, A., JURGES, E.S. & HUGH-JONES, K. Class- and subclass-specific pneumococcal antibody levels and response to immunization after bone marrow transplantation, 512
LYDYARD, P.M. *see* BODMAN, K.B.
LYDYARD, P.M. *see* MACKENZIE, L.E.

MACDONALD-BURNS, D. *see* BOFILL, M.
MACKAY, I.R. *see* MANDEL, T.E.
MACKENZIE, D.W.R. *see* VAZ, C.A.C.
MACKENZIE, L.E., MAGEED, R.A., YOUINOU, P.Y., YUKSEL, B., JEFFERIS, R. & LYDYARD, P.M. Repertoire of $CD5^+$ and $CD5^-$ cord blood B cells: specificity and expression of V_HI and V_HIII associated idiotypes, 107
MACKENZIE, L.E. *see* BODMAN, K.B.
MAEDA, K. *see* EGUCHI, K.
MÄENPÄÄ, J. *see* WANGEL, A.G.
MAESTRE, C. *see* ZARCO, P.
MAGARIÑO, R. *see* GONZALEZ, M.F.
MAGEED, R.A. *see* MACKENZIE, L.E.
MAINI, R.N. *see* WILLIAMS, R.O.
MANCA, F., WALKER, L., NEWELL, A., CELADA, F., HABESHAW, J.A. & DALGLEISH, A.G. Inhibitory activity of HIV envelope gp120 dominates over its antigenicity for human T cells, 17
MANDEL, T.E., KOULMANDA, M. & MACKAY, I.R. Prevention of spontaneous and cyclophosphamide-induced diabetes in non-obese diabetic (NOD) mice with oral 2-acetyl-4-tetrahydroxybutylimidazole (THI), a component of caramel colouring III, 414
MANNS, M. *see* LÖHR, H.
MARIANI, E., FACCHINI, A., HONORATI, M.C., LALLI, E., BERARDESCA, E., GHETTI, P., MARINONI, S., NUZZO, F., ASTALDI RICOTTI, G.C.B. & STAFANINI, M. Immune defects in families and patients with xeroderma pigmentosum and trichothiodystrophy, 376
MARINONI, S. *see* MARIANI, E.
MARTHAS, M. *see* MILLER, C.J.
MARUYAMA, N. *see* ITOH, Y.
MARX, P. *see* MILLER, C.J.

MATSIOTA-BERNARD, P. *see* BENBERNOU, N.
MATSUI, K. *see* KAWACHI, H.
MATSUOKA, N. *see* EGUCHI, K.
MCCLUSKEY, D.R. *see* CROCKARD, A.D.
MCGHEE, J.R. *see* MILLER, C.J.
MCNEILL, T.A. *see* CROCKARD, A.D.
MEEHORST, P.L. *see* POS, O.
MELERO, J. *see* GONZALEZ, M.F.
MENDIS, K.N. *see* KARUNAWEERA, N.D.
MESTECKY, J. *see* MILLER, C.J.
MIERAU, R. *see* GAUSE, A.
MILLER, C.J., KANG, D.W., MARTHAS, M., MOLDOVEANU, Z., KIYONO, H., MARX, P., ELDRIDGE, J.H., MESTECKY, J. & MCGHEE, J.R. Genital secretory immune response to chronic simian immunodeficiency virus (SIV) infection: a comparison between intravenously and genitally inoculated rhesus macaques, 520
MIYAZAKI, M. *see* YANO, N.
MOCHTAR, B. *see* VAESSEN, L.M.B.
MOLDOVEANU, Z. *see* MILLER, C.J.
MOTOYOSHI, F. *see* KONDO, N.
MOURADIAN, J. *see* ASHANY, D.
MOURITS, M.P. *see* PRUMMEL, M.F.
MÜHLEBACH, T.J., GABAY, J., NATHAN, C.F., ERNY, C., DOPFER, G., SCHROTEN, H., WAHN, V. & SEGER, R.A. Treatment of patients with chronic granulomatous disease with recombinant human interferon-gamma does not improve neutrophil oxidative metabolism, cytochrome b558 content or levels of four anti-microbial proteins, 203
MÜLLER, M.M. *see* ANDERT, S.E.
MUNEKATA, M. *see* YANAGAWA, H.

NAGAI, S. *see* TAKEUCHI, M.
NAGATA, N. *see* NORITAKE, M.
NAGATAKI, S. *see* EGUCHI, K.
NAKADA, H. *see* TAKEUCHI, M.
NAKAMURA, H. *see* KITANI, A.
NAKASHIMA, M. *see* EGUCHI, K.
NATHAN, C.F. *see* MÜHLEBACH, T.J.
NAVARRO, F.J. *see* ZARCO, P.
NEWELL, A. *see* MANCA, F.
NI, J. & KARPAS, A. Relationship between a novel human cytotoxin (factor 2) produced by a B cell line (Karpas 160) and phorbol-myristate-acetate-associated cytotoxicity, 360
NIETO, M.A., GONZÁLEZ, A., GAMBÓN, F., DÍAZ-ESPADA, F. & LÓPEZ-RIVAS, A. Apoptosis in human thymocytes after treatment with glucocorticoids, 341
NISHANIAN, P. *see* HOFMANN, B.
NOLI, M.I. *see* PADROS, M.R.
NOMOTO, Y. *see* YANO, N.
NORITAKE, M., KATSURA, Y., SHINOMIYA, N., KANATANI, M., UWABE, Y., NAGATA, N. & TSURU, S. Intracellular hydrogen peroxide production by peripheral phagocytes from diabetic patients. Dissociation between polymorphonuclear leucocytes and monocytes, 269
NUÑEZ-ROLDAN, A. *see* GONZALEZ, M.F.
NUZZO, F. *see* MARIANI, E.

OGURA, T. *see* YANAGAWA, H.
OITE, T. *see* KAWACHI, H.
OLIVEIRA, D.B.G. *see* ZHANG, L.
OLLIER, W. *see* HAMMOND, A.
OLSSON, T. *see* WANG, W.Z.
OORD, J.J. VAN DAN *see* VOLPES, R.
OPENSHAW, P.J.M. *see* ALWAN, W.H.
ORII, T. *see* KONDO, N.
ORIKASA, M. *see* KAWACHI, H.
OUGEN, P. *see* BENBERNOU, N.
OUWEHAND, A.J. *see* VAESSEN, L.M.B.
OZAWA, T. *see* KONDO, N.

PADROS, M.R., NOLI, M.I. & FAINBOIM, L. Expression of ICAM-1 (CD54) on normal and leukaemic B cells: implication for the mixed lymphocyte reaction, 329
PERRY, G.J. *see* CHAN, T.M.
PHILLIPS, A.N. *see* BOFILL, M.
PHILLIPS, A.N. *see* WEBSTER, A.
PILLING, D. *see* HASSELL, A.B.
PLATER-ZYBERK, C. *see* WILLIAMS, R.O.
POMERANTZ, R.J. *see* BAGASRA, O.
PORALLA, T. *see* LÖHR, H.
POS, O., STEVENHAGEN, A., MEEHORST, P.L., KROON, F.P. & VAN FURTH, R. Impaired phagocytosis of *Staphylococcus aureus* by granulocytes and monocytes of AIDS patients, 23
POSTIGO, A.A. *see* GARCÍA-VICUÑA, R.
PRICE, B.A. *see* CLARKE, C.L. INGHAM
PRIOR, C. & HASLAM, P.L. *In vivo* levels and *in vitro* production of interferon-gamma in fibrosing interstitial lung diseases, 280
PRUETT, S.B. *see* HIGGINBOTHAM, J.N.
PRUMMEL, M.F., WIERSINGA, W.M., VAN DER GAAG, R., MOURITS, M.P. & KOORNNEEF, L. Soluble IL-2 receptor levels in patients with Graves' ophthalmopathy, 405
PULLMAN, W.E. & DOE, W.F. IL-2 production by intestinal lamina propria cells in normal inflamed and cancer-bearing colons, 132
RAHMAN, J., LOH, J. & STAINES, N.A. Low-affinity antibodies against collagen type II produced by lymph node cells are associated with pathology in collagen-induced arthritis in rats, 461

RAPHAEL, M. *see* DAVID, F.J.E.
RECORD, F.M. *see* ALWAN, W.H.
REDMAN, C. *see* VINCE, G.
REYNOLDS, D. *see* HASSELL, A.B.
RICHTERS, C.D. *see* VAN NIEUWKERK, E.B.J.
ROBERTSON, F. *see* DAS, K.M.
ROBINSON, A. & ABRAHAM, E. Effects of haemorrhage on bacterial antigen specific pulmonary plasma cell function, 124
ROHRBACH, M.S. *see* RYU, J.H.
ROITT, I.M. *see* BODMAN, K.B.
ROOK, G.A.W. *see* ATTIYAH, R. AL
ROSEN, H. *see* ATTIYAH, R. AL
ROSENKVIST, J. *see* LILLEVANG, S.T.
ROZING, J. *see* HU, H.Z.
RYU, J.H., VUK-PAVLOVIĆ, Z. & ROHRBACH, M.S. Monocyte heterogeneity in angiotensin-converting enzyme induction mediated by autologous T lymphocytes, 288

SABIN, C. *see* BOFILL, M.
SAEDD, B.O. *see* ABU-ZEID, Y.A.
SAKAI, H. *see* YANO, N.
SAKAI, M. *see* EGUCHI, K.
SAKITO, S. *see* EGUCHI, K.
SANCHEZ, B. *see* GONZALEZ, M.F.
SÁNCHEZ-MADRID, F. *see* GARCÍA-VICUÑA, R.
SANCHEZ-ROMAN, J. *see* GONZALEZ, M.F.
SARGENT, I. *see* VINCE, G.
SARNA, G.P. *see* HOFMANN, B.
SATAKE, N. *see* TAKEUCHI, M.
SCHEININ, T. *see* WANGEL, A.G.
SCHIFFERLI, J.A. *see* FRENCH, L.E.
SCHLENZKA, A. *see* WANGEL, A.G.
SCHROTEN, H. *see* MÜHLEBACH, T.J.
SCHUURMAN, H.J. *see* HU, H.Z.
SCOTT-ALGARA, D. *see* CAYOTA, A.
SEGER, R.A. *see* MÜHLEBACH, T.J.
SHIGEMOTO, K. *see* ITOH, Y.
SHIMIZU, F. *see* KAWACHI, H.
SHINOMIYA, N. *see* NORITAKE, M.
SHIRASAWA, T. *see* ITOH, Y.
SHORTER, S. *see* VINCE, G.
SINGER-VERMES, L.M. *see* VAZ, C.A.C.
SINGH, R.K. *see* SODHI, A.
SINGH, S.M. *see* SODHI, A.
SMITH, G.J. *see* CLARKE, C.L. INGHAM
SMITH, S., BROWN-GALATOLA, C.H. & HALL, N.D. Modulation of human T cell functions by surface sulphydryl groups: differential effects on IL-2 production and responsiveness, 169
SODHI, A., SINGH, R.K. & SINGH, S.M. Effect of interferon-gamma priming on the activation of murine peritoneal macrophages to tumouricidal state by cisplatin, IL-1, and tumour necrosis factor (TNF): production of IL-1 and TNF, 350

SONE, S. *see* YANAGAWA, H.
SQUILLANTE, I. *see* DAS, K.M.
STAFANINI, M. *see* MARIANI, E.
STAINES, N.A. *see* CHAN, T.M.
STAINES, N.A. *see* RAHMAN, J.
STANFORD, M.R. *see* KASP, E.
STARKEY, P. *see* VINCE, G.
STEINMAN, R.M. *see* CAMERON, P.U.
STEVENHAGEN, A. *see* POS, O.
SUMAR, N. *see* BODMAN, K.B.
SUTTORP-SCHULTEN, M.S.A. *see* VERHAGEN, C.
SUZUKI, K. *see* KITANI, A.
SVENSON, M. *see* HANSEN, M.B.

TAKEUCHI, M., NAGAI, S., NAKADA, H., AUNG, H., SATAKE, N., KANESHIMA, H. & IZUMI, T. Characterization of IL-1 inhibitory factor released from human alveolar macrophages as IL-1 receptor antagonist, 181
TEPPLER, H. *see* CAMERON, P.U.
TERADA, K. *see* EGUCHI, K.
THEANDER, T.G. *see* ABU-ZEID, Y.A.
TILANUS, M.G.J. *see* HU, H.Z.
TIMMS, A. *see* BOFILL, M.
TOYABE, S. *see* KAWACHI, H.
TREICHEL, U. *see* LÖHR, H.
TSCHOPP, J. *see* FRENCH, L.E.
TSURU, S. *see* NORITAKE, M.
TURNER, I. *see* ZHANG, L.

UWABE, Y. *see* NORITAKE, M.

VAESSEN, L.M.B., BAAN, C.C., OUWEHAND, A.J., JUTTE, N.H.P.M., BALK, A.H.M.M., MOCHTAR, B., CLAAS, F.H.J. & WEIMAR, W. Acute rejection in heart transplant patients is associated with the presence of committed donor-specific cytotoxic lymphocytes in the graft but not in the blood, 213
VAN BRUGGEN, M.C.J. *see* VAN DEN BROEK, M.F.
VAN DEN BERG, W.B. *see* VAN DEN BROEK, M.F.
VAN DEN BROEK, M.F., VAN BRUGGEN, M.C.J., KOOPMAN, J.P., HAZENBERG, M.P. & VAN DEN BERG, W.B. Gut flora induces and maintains resistance against streptococcal cell wall-induced arthritis in F344 rats, 313
VAN DER BAAN, S. *see* VAN NIEUWKERK, E.B.J.
VAN DER GAAG, R. *see* PRUMMEL, M.F.
VAN FURTH, R. *see* POS, O.
VAN HAREN, M. *see* VERHAGEN, C.
VAN NIEUWKERK, E.B.J., VAN DER BAAN, S., RICHTERS, C.D. & KAMPERDIJK, E.W.A. Isolation and characterization of dendritic cells from adenoids of children with otitis media with effusion, 345
VAZ, C.A.C., MACKENZIE, D.W.R., HEARN, V.M., CAMARGO, Z.P., SINGER-VERMES, L.M., BURGER, E. & CALICH, V.L.G. Specific recognition pattern of IgM and IgG antibodies produced in the course of experimental paracoccidiodomycosis, 119
VELLODI, A. *see* LORTAN, J.E.
VERHAGEN, C., BREEBAART, A.C., SUTTORP-SCHULTEN, M.S.A., HOEKZEMA, R., VAN HAREN, M. & KIJLSTRA, A. Induction of autoantibodies to rat corneal protein 54, 101
VERVERS, C. *see* BOLAND, G.J.
VINCE, G., SHORTER, S., STARKEY, P., HUMPHRIES, J., CLOVER, L., WILKINS, T., SARGENT, I. & REDMAN, C. Localization of tumour necrosis factor production in cells at the materno/fetal interface in human pregnancy, 174
VLIEGER, A.M. *see* BOLAND, G.J.
VOLPES, R., OORD, J.J. VAN DAN & DESMET, V.J. LAM-1/Leu 8 antigen is expressed on portal, but not on lobular intrahepatic mononuclear cells in inflammatory liver disease, 50
VUILLIER, F. *see* CAYOTA, A.
VUK-PAVLOVIĆ, Z. *see* RYU, J.H.

WAHN, V. *see* MÜHLEBACH, T.J.
WALKER, L. *see* MANCA, F.
WALPORT, M.J. *see* HAMMOND, A.
WANG, W.Z., OLSSON, T., KOSTULAS, V., HÖJEBERG, B., EKRE, H.P. & LINK, H. Myelin antigen reactive T cells in cerebrovascular diseases, 157
WANGEL, A.G., KONTIAINEN, S., SCHEININ, T., SCHLENZKA, A., WANGEL, D. & MÄENPÄÄ, J. Anti-endothelial cell antibodies in insulin-dependent diabetes mellitus, 410
WANGEL, D. *see* WANGEL, A.G.
WEBSTER, A., PHILLIPS, A.N., LEE, C.A., JANOSSY, G., KERNOFF, P.B. & GRIFFITHS, P.D. Cytomegalovirus (CMV) infection, $CD4^+$ lymphocyte counts and the development of AIDS in HIV-1-infected haemophiliac patients, 6
WEETMAN, A.P. *see* FREEMAN, M.
WEETMAN, A.P. *see* ZHANG, L.
WEGMAN, T.G. *see* DAVID, F.J.E.
WEIMAR, W. *see* VAESSEN, L.M.B.
WHO-IUIS NOMENCLATURE SUBCOMMITTEE ON INTERLEUKIN DESIGNATION. Nomenclature for secreted regulatory proteins of the immune system (interleukins), 367
WICHMANN, I. *see* GONZALEZ, M.F.
WIERSINGA, W.M. *see* PRUMMEL, M.F.
WILKINS, T. *see* VINCE, G.
WILLIAMS, D.G. *see* FORTUNE, F.
WILLIAMS, D.G. *see* WILLIAMS, R.O.
WILLIAMS, J.F. *see* DAFA'ALLA, T.F.
WILLIAMS, R.O., PLATER-ZYBERK, C., WILLIAMS, D.G. & MAINI, R.N. Successful transfer of collagen-induced arthritis to severe combined immunodeficient (SCID) mice, 455
WOOD, R.F.M. *see* CLARKE, C.L. INGHAM
WRIGHT, D.H. *see* BASHIR, M.S.

YAMAUCHI, F. *see* YANO, N.
YANAGAWA, H., SONE, S., MUNEKATA, M., ATAGI, S., NII, A. & OGURA, T. IL-6 in malignant pleural effusions and its augmentation by intrapleural instillation of IL-2, 207
YANO, N., ENDOH, M., MIYAZAKI, M., YAMAUCHI, F., NOMOTO, Y. & SAKAI, H. Altered production of IgE and IgA induced by IL-4 in peripheral blood mononuclear cells from patients with IgA nephropathy, 295
YEAMAN, S.J. *see* ZHANG, L.
YELAMOS, J. *see* GONZALEZ, M.F.
YOUINOU, P.Y. *see* MACKENZIE, L.E.
YUKSEL, B. *see* MACKENZIE, L.E.

ZARCO, P., MAESTRE, C., HERRERO-BEAUMONT, G., GONZÁLEZ, E., GARCIA-HOYO, R., NAVARRO, F.J., BRAQUET, P. & EGIDO, J. Involvement of platelet-activating factor and tumour necrosis factor in the pathogenesis of joint inflammation in rabbits, 318
ZHANG, L., WEETMAN, A.P., JAYNE, D.R.W., TURNER, I., YEAMAN, S.J., BASSENDINE, N.F. & OLIVEIRA, D.B.G. Anti-mitochondrial antibody IgG subclass distribution and affinity in primary biliary cirrhosis, 56
ZIMMERMAN, B. *see* CHAMBERS, C.A.
ZUBILLAGA, P. *see* BARRENA, M.J.
ZUCKERMANN, A. *see* ANDERT, S.E.

Subject Index

2′-deoxycoformycin, 383
40 kD protein, 138

activation, 543
acute-phase protein, 356
Addison's disease, 275
adenoids, 345
adenosine deaminase, 383
adhesion molecules, 50, 448
adoptive transfer, 455
adrenal gland, 275
agalactosylation, 420
aggressive behaviour, 467
AIDS, 23
AIDS progression, 6
allogeneic bone marrow transplantation, 506
alpha-1 anti-trypsin, 543
angiotensin-converting enzyme, 288
anti-DNA antibodies, 68, 75
anti-endothelial cell antibodies, 410
anti-microbial proteins, 203
anti-mitochondrial antibodies, 56
anti-nucleolar antibodies, 324
anti-tumour agents, 383
anti-viral immunity, 527
antibodies, 1
antibody affinity, 461
antigen A60, 129
apoptosis, 341
arthritis, 318, 461
asialoglycoprotein receptor, 45
asymptomatic period, 237
atopy, 149
ATP release assays, 368
autoantibodies, 84, 96, 101, 559
autoantibody secretion *in vitro*, 45
autoimmune chronic hepatitis, 45
autoimmunity, 101, 157, 275, 414
autoreactive T cells, 157

β2-microglobulin, 548
B cell lines, 360
B cell repertoire, 107
B cells, 124
bacterial antigens, 124
BCG, 129
blood–brain barrier, 473
blood–retinal barrier, 473
Bloom's syndrome, 35
bone marrow transplantation, 512
BN rats, 301
Bordetella pertussis, 307
bronchoalveolar washings, 264

C4, 163
C4 null alleles, 237
cCTL, 213
cancer proneness, 376
CD4, 10
CD4 binding proteins, 17
CD4 counts, 243
CD4 lymphocytes, 29
$CD4^+$ lymphocytes, 6
$CD5^+$ B cells, 107
CD54, 329
CD8 counts, 243
cerebrovascular disease, 157
chimeras, 84
Chlamydia, 442
chronic granulomatous disease, 203
circulating immune complexes, 307
clinical immunity, 499
clinical manifestations, 253
clusterin, 389
co-factors, 6
collagen type II, 461
collagen-induced arthritis, 96, 455
colon cancer, 132
colon cancer cells, 138
common variable immunodeficiency, 29
complement, 389
cord blood B cells, 107
cornea, 101
cross-reactive idiotypes, 107
cryptogenic fibrosing alveolitis, 280
cytochrome b558, 203
cytokines, 1, 318, 478
cytomegalovirus, 6, 506
cytotoxicity, 350, 360
cytotoxin, 360

DCFH oxidation, 269
decidua, 174
dehydrogenase complex, 56
delayed hypersensitivity reactions, 29
dendritic cells, 226, 345
dexamethasone, 448
diabetes, 414
diabetes mellitus, 269
DNA, 68
Down's syndrome, 41

endonuclease, 341
endothelial cells, 68, 448, 555
eosinophils, 527
epitopes, 399
experimental autoimmune uveoretinitis, 307, 473

Fc_{gamma} receptors, 10
factor 2, 360
fibronectin receptors, 435
flow cytometry, 335, 414
Freund's incomplete adjuvant, 96

gametocytes, 499
genital tract, 520
glomerulonephritis, 301, 389
glucocorticoids, 341
gp120 antigenicity, 17
gp120-CD4 complexes, 17
gp70, 356
graft-infiltrating cells, 213
graft-*versus*-host disease, 220, 512
granulocytes, 23
Graves' ophthalmopathy, 405
growth factors, 1
gut flora, 313

haemophilia, 6
haemorrhage, 124
heart transplantation, 213
helper T cells, 527

histones, 68
histopathology, 414
HIV, 1, 478
HIV infection culture system, 10
HIV-1, 226, 237
HIV-1 infection, 243
Hodgkin's disease, 143
host/fungi interactions, 119
human MoAbs, 324
human alveolar macrophages, 181
human placenta, 10
human serum, 559
human thymocytes, 341
humoral immune responses, 119

IFN-γ, 295
IgA, 295, 394
IgA deficiency, 410
IgA nephropathy, 62, 295, 394
IgE, 149, 258, 295
IgG subclasses, 56, 253, 258
IgM and IgG anti-*Paracoccidioides brasiliensis*, 119
IL-1, 181, 264, 350
IL-1 inhibitory factor, 181
IL-1 receptor, 181
IL-1 receptor antagonist, 181
IL-2, 132, 143, 169, 207
IL-2 receptor, 132, 169, 405
IL-4, 295
IL-6, 75, 207, 264, 356, 537
IL-6 receptor, 75
ileum contraction assays, 368
immune modulators, 1
immune regulation, 307
immune responses, 520
immune transfer, 506
immunization, 62
immunoblotting, 275
immunodeficiency, 163, 376, 383
immunoglobulin V gene, 430
immunoglobulin subclasses, 512
immunohistochemistry, 50
immunological monitoring, 213
immunomodulations, 283
immunopathology, 527
immunosuppression, 301, 414
immunotoxin, 220
in situ hybridization, 226
in vitro assays, 368
in vitro immune activation, 548
in vivo immune activation, 548
inflammation, 318, 484
inflammatory bowel disease, 132
insulin-dependent diabetes mellitus, 410
interferon-gamma retention in endosomes, 492
integrins, 41
interferon activity, 559
interferon receptor binding, 559
interferon-alpha, 180, 448, 559
interferon-gamma, 112, 138, 280, 350, 555
intracellular killing, 23

LAM-1/leu 8 antigen, 50
leprosy, 253
leukaemia, 329
limiting-dilution analysis, 424
lipopolysaccharide, 356
Listeria monocytogenes, 492
liver inflammation, 50
liver-infiltrating T cells, 45
lung cancer, 207
lung diseases, 527
lymph nodes, 461
lymphocyte proliferation, 478
lymphocyte subsets, 91
lymphocytes, 50, 473, 543
lymphoma, 543
lymphoproliferative responses, 112

macrophage activation, 492
macrophages, 174, 345, 350
malaria, 499
malignant pleurisy, 207
membrane attack complex, 389
mercuric chloride, 301
mesangial cells, 68
mesangial lesions, 399
MHC restriction, 442
mice, 129
microangiopathy, 410
misoprostol, 537
mixed connective tissue disease, 91
mixed leucocyte reaction, 226, 345
MLR, 329
MoAbs, 399
monocytes, 23, 288
mucosal immunity, 124
mycobacterial antigens, 424
myelin basic protein, 157

naive and memory $CD4^+$ T cells, 478
natural killer cells, 143, 376
neopterin, 548, 555
Nippostrongylus brasiliensis, 264
non-Hodgkin's lymphoma, 143
normal values, 243

Onchocerca gutturosa, 258
Onchocerca volvulus, 258
onchocerciasis, 258
otitis media with effusion, 345

Paracoccidioides brasiliensis, 119
paracoccidioidomycosis, 119
paroxysms, 499
peripheral blood, 243
peripheral blood lymphocytes, 213
peritoneal macrophages, 484
peritonitis, 484
permeability, 473
phagocytosis, 23
phenotype, 484
phorbol myristate acetate, 360
Plasmodium antigens, 112
platelet-activating factor, 318, 537
PM-Scl, 324
pneumococcus, 512
polymerase chain reaction, 226, 335
polymeric, 394
prednisone, 405
primary biliary cirrhosis, 45, 56
progressive systemic sclerosis, 91
protection, 129
proteinuria, 399
proteolipid protein, 157
pyruvate, 56

RaCP, 54
rat, 101
reactive arthritis, 442
reactive oxygen species, 269
recombinant interferon-gamma, 203
resistance, 313
retroviral SU, 356
rheumatoid arthritis, 420, 424, 430, 435
rheumatoid factor, 430
Ro/SS-A, 324

S-antigen, 307
sarcoidosis, 280
SCID, 84, 383
SCID mice, 455
scleroderma, 324
secreted IgG, 420
secreted μ C terminal mRNA, 35
secreted μ mRNA synthesis, 35
secretory IgA, 124
selective IgM deficiency, 35
Shwartzman reaction, 537
sickle cell trait, 112
simian immunodeficiency virus, 520
small bowel, 220
soluble IL-2 receptor, 548
soluble IL-2 receptors, 112
somatic mutation, 430
spleen cells, 455
splenectomy, 512
spontaneous arthritis, 467
Staphylococcus aureus, 23
streptococcal cell wall arthritis, 313
surface sulphydryl, 169
synovial cells, 448
synovial fluid, 442
synthetic C3a peptides, 368
systemic lupus erythematosus, 75, 84, 163
systemic sclerosis, 280

T cell clones, 149
T cell receptors, 335
T cell responses, 424
T cells, 169
T clones, 17
T lymphocyte subpopulations, 288
T lymphocytes, 243
TCR$\gamma\delta^+$ cells, 62
testosterone, 467
tetanus toxoid, 62, 394
Thy 1.1, 399
thyroid disease, 410
thyroid diseases, 405
transplantation, 220
trichothiodystrophy, 376
trophoblasts, 10
tumour necrosis factor, 174, 264, 318, 350, 499, 537
tumour necrosis factor-alpha, 555
type II collagen, 96, 467

ulcerative colitis, 138

VLA, 435
Vβ families, 335
vaccination, 96
vaccines, 1
vertical transmission, 10
Vicia villosa, 62
vitamin D analogue, 301

X-linked agammaglobulinaemia, 29
xeroderma pigmentosum, 376